LYNCHBURG CITY COUNCIL Agenda Item Summary

MEETING DATE: **February 24, 2004 Work Session**AGENDA ITEM NO.: 3

CONSENT: REGULAR: X CLOSED SESSION: (Confidential)

ACTION: INFORMATION: X

ITEM TITLE: Sign Ordinance Revisions

RECOMMENDATION: Discuss the Sign Ordinance revisions proposed by the Sign Committee

<u>SUMMARY</u>: Upon the completion of the Comprehensive Plan, City Council directed staff to revisit our Sign Ordinance. Subsequently, staff formed a Sign Committee with representatives of the various stakeholders in the City regarding signs.

<u>SYNOPSIS</u>: For the past several years, citizens, developers, businesses owners, and City officials have expressed a need to update the City's sign ordinance. They have seen signs in other localities (and even in Lynchburg) that are appropriately scaled and designed and wish to see our ordinance revised accordingly. An important component of the development of the Comprehensive Plan was a Community Character Survey. During three separate public forums, citizens viewed various images of signs, landscaping, building designs, etc. and rated them on a scale of -5 to +5. The results indicated that citizens prefer signs that are lower in height and smaller in area than the current ordinance allows. Chapter 6 of the Comprehensive Plan, which City Council approved in September 2002 addresses issues regarding "Design, Character, and Quality." Shortly after approval of the Comprehensive Plan, City Council directed staff to develop a revised ordinance for Council's consideration.

In May 2003, staff formed a Sign Committee comprised of local business representatives, designers, etc. The members are: Gary Case of Gary Case & Co. Real Estate, Tony McBride of McBride Signs, Tom Aud of the Chamber of Commerce, Bob Davenport of the Industrial Development Authority, Wayne Dahlgren of the Planning Commission, Jim Vernon of Craddock Cunningham Architectural Partners, Kirtis Webb of Kirtis Kwik Signs and Bruce Signs, and three City staff; Rachel Flynn, Tom Martin and Art Tolley with Community Planning & Development.

We reviewed the ordinances of several other localities in Virginia, met with City/County officials and toured other localities to better understand the successes and challenges of their ordinances. We reviewed the Comprehensive Plan 2002-2020 section 6 entitled "Design, Character & Quality" and the Community Character Survey that specifically address such issues as sign design and scale and their impact on the streetscape and the overall community. The committee discussed at length the need to have order, consistency, and elimination of clutter in sign design and scale, while ensuring that businesses could adequately advertise. In the end, numerous compromises were made amongst committee members to balance aesthetic and business needs.

<u>PRIOR ACTIONS</u>: July 9, 2002 – Staff makes a sign presentation at a Council Work Session and receive direction from Council to proceed with Sign Ordinance revisions.

May 2003 – November 2003: Sign Committee is formed and creates proposed sign ordinance.

CONTACTS: Rachel Flynn – 455-3902 and Tom Martin – 455-3909

<u>ATTACHMENTS:</u> Summary Chart of proposed changes

REVIEWED BY: Ikp

ZONING CATEGORY	SIZE (Square Feet)	HEIGHT	LOCATION (Free Standing)	LOCATION (Wall Mounted)	QUANTITY	ILLUMINATION	OTHER
TEMPORARY SIGNS RC, R1, R2, R3, R4, R5 EXISTING ORDINANCE	Portable signs: 30 days max per year Banners: 32 SF (see "Other" column)		8' setback from street line		One per street abutment	No	Banner display period limited to sixty days. Banner must be removed for thirty days before the next display period is permitted.
PROPOSED ORDINANCE	No portable trailer signs or reader boards. Banners only, as follows: 24 SF on street or 32 SF on building		8' setback from property line		no changes	no changes	Banner may be displayed four times per calendar year. Each display period limited to thirty days. Banner must be removed for thirty days before the next display period is permitted.
TEMPORARY SIGNS (B1-B6) EXISTING ORDINANCE	Portable signs: 30 days max per year Banners: 32 SF (see "Other" column)		8' setback from street line		One per street abutment	No	Banner display period limited to sixty days. Banner must be removed for thirty days before the next display period is permitted.
PROPOSED ORDINANCE	No portable trailer signs or reader boards. Banners only, as follows: 24 SF on street or 32 SF on building		8' setback from property line		no changes	no changes	Banner may be displayed four times per calendar year. Each display period limited to thirty days. Banner must be removed for thirty days before the next display period is permitted.
TEMPORARY SIGNS (11-13) EXISTING ORDINANCE	Portable signs: 30 days max per year Banners: 32 SF (see "Other" column)		8' setback from street line		One per street abutment	No	Banner display period limited to sixty days. Banner must be removed for thirty days before the next display period is permitted.
PROPOSED ORDINANCE	No portable trailer signs or reader boards. Banners only, as follows: 24 SF on street or 32 SF on building		8' setback from property line		no changes	no changes	Banner may be displayed four times per calendar year. Each display period limited to thirty days. Banner must be removed for thirty days before the next display period is permitted.

ZONING CATEGORY	SIZE (Square Feet)	HEIGHT	LOCATION (Free Standing)	LOCATION (Wall Mounted)	QUANTITY	ILLUMINATION	OTHER
PERMANENT SIGNS in RC, R1, R2, R3, R4, R5 EXISTING ORDINANCE	Ground: 1 SF Wall: 1 SF				One per street abutment	No	Club, lodge, community center signs - 4 SF Church and school signs - 18 SF
PROPOSED ORDINANCE	no changes				no changes	no changes	no changes
B1 EXISTING ORDINANCE	Ground sign: 40 SF Ground sign for group of buildings: 40 SF + 9 SF for each additional tenant - maximum 72 SF Wall sign: 40 SF	15 feet	2 foot setback	Wall, no roof mounted	One ground and/or one wall sign per street abutment	Lights enclosed in the sign and shaded. Only white illumination and no flashing light. No neon permitted	Separate letters for a business may be on top side of a marquee or top side of wall. Letters not over 24"
B1 PROPOSED ORDINANCE	Ground sign: 18 SF Ground sign for two or more businesses/buildings 18 SF + 4 SF for each additional tenant above two - maximum 32 SF Wall sign: 24 SF	10 feet	no changes	no changes	no changes	no changes	no changes
B2 EXISTING ORDINANCE	Ground sign: 60 SF Ground sign for group of buildings: 60 SF + 12 SF for each additional tenant - maximum 108 SF Wall sign: 25 SF + 1 SF per linear foot of wall - maximum 100 SF	15 feet	2 foot setback	Wall, no roof mounted	One ground and/or one wall per street abutment	Lights enclosed in the sign and shaded. Only white illumination and no flashing light. No neon permitted	Separate letters for a business may be on top side of a marquee or top side of wall. Letters not over 24"

ZONING CATEGORY	SIZE (Square Feet)	HEIGHT	LOCATION (Free Standing)	LOCATION (Wall Mounted)	QUANTITY	ILLUMINATION	OTHER
B2 PROPOSED ORDINANCE	Ground sign: 18 SF Ground sign for two or more businesses/buildings 18 SF + 4 SF for each additional tenant above two - maximum 32 SF Wall sign: 24 SF	10 feet	no changes	no changes	no changes	no changes	no changes
B3 EXISTING ORDINANCE	Ground sign: 100 SF Ground sign for area as a whole (shopping center, etc.) 150 SF Wall sign: 50 SF + 2 SF per linear foot of wall - no maximum SF	24 feet	no setback	Wall, no roof mounted	One ground and/or one wall sign per street abutment	Lights enclosed in the sign and shaded. Only white illumination and no flashing light. No neon permitted	Separate letters for a buisness may be on top side of a marquee or top side of wall. Letters not over 24"
B3 PROPOSED ORDINANCE	Ground sign: 50 SF 66 SF w/ reader board. Reader board max. 22 SF and must be attached to sign Ground sign for business/shopping center > 100,000 SF: 100,000 - 200,000 SF center: 75 SF + 16 SF reader board > 200,000 SF center: 100 SF + 16 SF reader board Wall sign: <200' from street: 25' + 18F per LF - maximum - 100 SF > 200' from street: 25' + 2SF per LF - maximum - 150SF	15 feet	2 foot setback	no changes	no changes	Same as above with the following exception: Neon only permited in channel enclosures	Same as above plus the following: Poles signs to have skirt around pole. Color of skirt to be coordinated with sign and/or building, whichever creates a more harmonious look on the streetscape. New shopping centers to have unified and coordinated wall signs.
B4 EXISTING ORDINANCE	Ground sign: 100 SF Ground sign for area as a whole (shopping center, etc.) - 150 SF Wall: 50 SF + 2 SF per linear foot of wall - no maximum SF	24 feet		Wall, no roof mounted	One ground and/or one wall per street abutment	Lights enclosed in the sign and shaded. Only white illumination and no flashing light. No neon permitted	No sign shall project more than 15" beyond face of building

ZONING CATEGORY	SIZE (Square Feet)	HEIGHT	LOCATION (Free Standing)	LOCATION (Wall Mounted)	QUANTITY	ILLUMINATION	OTHER
B4 PROPOSED ORDINANCE	Ground: 32 SF monument signs only @ 7' ht. Wall: Buildings 1-5 stories: 50 SF. For each add'l story: may add 12 SF to sign per story above 5 stories. Individual letters only, no roof mount, signs painted on storefront window(s) or inside store (within 1' of window) count toward SF requirements.	7 feet		no changes	no changes	no changes	No perpendicular sign shall project more than 3' beyond face of building Address/ID sign - 4SF does not count toward wall or ground sign All sign designs must be approved by Secretary of the Historic Preservation Commission.
B5 EXISTING ORDINANCE	Ground sign: 100 SF Ground sign for area as a whole (shopping center, etc.) - 150 SF Wall: 50 SF + 2 SF per linear foot of wall - no maximum SF	24 feet	no setback	Wall, no roof mounted	One ground and/or one wall sign per street abutment	Lights enclosed in the sign and shaded. Only white illumination and no flashing light. No neon permitted	
B5 PROPOSED ORDINANCE	Ground sign: 50 SF 66 SF w/ reader board. Reader board max. 22 SF and must be attached to sign Ground sign for business/shopping center > 100,000 SF: 100,000 - 200,000 SF center: 75 SF + 16 SF reader board > 200,000 SF center: 100 SF + 16 SF reader board Wall sign: <200' from street: 25' + 1SF per LF - maximum - 100 SF > 200' from street: 25' + 2SF per LF - maximum - 150SF	15 feet	2 foot setback	no changes	no changes	Same as above with the following exception: Neon only permited in channel enclosures	Poles signs to have skirt around pole. Color of skirt to be coordinated with sign and/or building, whichever creates a more harmonious look on the streetscape. New shopping centers to have unified and coordinated wall signs.
B6 EXISTING ORDINANCE	75 SF + 16 SF reader board >200,000 SF center: 100 SF + 16 SF reader board	Letters and symbols maximum 12" height	No free standing signs	Wall, no roof mounted	One per street/parking lot abutment	Lights enclosed in the sign and shaded. Only white illumination and no flashing light. No neon permitted	No sign shall project more than 4' beyond face of building

ZONING CATEGORY	SIZE (Square Feet)	HEIGHT	LOCATION (Free Standing)	LOCATION (Wall Mounted)	QUANTITY	ILLUMINATION	OTHER
B6 PROPOSED ORDINANCE	Ground: 32 SF monument signs only @ 7' ht. Wall: Buildings 1-5 stories: 50 SF. For each add'l story: sign may increase 20% per story Individual letters only, no roof mount, signs painted on storefront window(s) or inside store (within 1' of window) count toward SF requirements.	7 feet	Free standing signs permitted shall be monument sign @ 7' height max.	no changes	no changes	no changes	No perpendicular sign shall project more than 3' beyond face of building Address/ID sign - 4SF does not count toward wall or ground sign All signs must be approved by the Secretary of the Historic Preservation Commission.
I-1 EXISTING ORDINANCE	Ground: 1 SF for each 5 LF of public road frontage - maximum 100 SF Wall: Same as B1	15 feet	2 foot setback	No roof mounted	One per street abutment	Lights enclosed in the sign and shaded. Only white illumination and no flashing light.	Separate letters for a business may be on top side of a marquee or top side of wall. Letters not over 24"
I-1 PROPOSED ORDINANCE	Ground: 1 SF for each 5 LF of public road frontage, Maximum 66 SF Wall: Same as B-1	10 feet	no changes	no changes	no changes	no changes	no marquee regulations
I-2 EXISTING ORDINANCE	Ground: 1 SF for each 5 LF of public road frontage, Maximum 100 SF Wall: Same as B1	15 feet	2 foot setback	No roof mounted	One per street abutment	Lights enclosed in the sign and shaded. Only white illumination and no flashing light.	Separate letters for a business may be on top side of a marquee or top side of wall. Letters not over 24"
I-2 PROPOSED ORDINANCE	Ground: 1 SF for each 5 LF of public road frontage, Maximum 66 SF Wall: Same as B-1	10 feet	no changes	no changes	no changes	no changes	no marquee regulations
I-3 EXISTING ORDINANCE	Ground: 1 SF for each 5 LF of public road frontage, Maximum 100 SF Wall: Same as B1	15 feet	2 foot setback	No roof mounted	One per street abutment	Lights enclosed in the sign and shaded. Only white illumination and no flashing light.	Separate letters for a business may be on top side of a marquee or top side of wall. Letters not over 24" Billboards permitted

ZONING CATEGORY	SIZE (Square Feet)	HEIGHT	LOCATION (Free Standing)	LOCATION (Wall Mounted)	QUANTITY	ILLUMINATION	OTHER	
I-3 PROPOSED ORDINANCE	Ground: 1 SF for each 5 LF of public road frontage, Maximum 66 SF Wall: Same as B-1	10 feet	no changes	no changes	no changes	no changes	no marquee regulations	
OTHER	Subdivisions: Sign at main entry - monument style only 32 SF maximum, 7' height							
OTHER	Flags (24 SF max) permitted as follows: of	Ballons, penants, streamers, and inflatabes are prohibited Flags (24 SF max) permitted as follows: one US flag, one VA flag, one non-commercial flag. SF not to count toward sign SF maximum. One commercial flag permitted (24 SF max), which counts toward sign SF maximum.						
OTHER	Banners on light poles: Non-commercial banners only. Displays limited to seasonal, public events, or a neighborhood location.							
OTHER	All signs require a building permit prior to installation. Any sign with lighting must comply with UL standards. See building code for details.							
OTHER	When existing signs are replaced or consolidated, the maximum total sign surface area of the replacement or sonsolidated sign shall be: 1) In compliance with the current zoning ordinance OR 2) Thirty (30) percent less than the total sign surface area of the signs being replaced or consolidated, whichever is greater. Does not include refacing where the sign cabinet and pole remain.							
OTHER								
OTHER	Interior signs behind glass: Any sign within 12" of glass will count to Signs may not cover more than 25% of th		sign size maximum.					